



Kylin Far Infrared Sauna

Instruction Manual

Thank you so much for purchasing the Kylin Infrared Sauna! Please take the time to carefully read through this manual. Keep this manual and your proof of purchase for future reference and service calls. Welcome to reach our team if you have any questions about your infrared sauna!

You can scan the below QR code to download a digital Kylin sauna instruction manual.



Table of Content

TABLE OF CONTENT	3
SAFETY INSTRUCTIONS	4
ELECTRICAL REQUIREMENTS	5
INSTALLATION INSTRUCTIONS	6
STRUCTURE AND COMPONENTS	7
GENERAL GUIDE FOR 1-3 PERSON SAUNA	8
INSTALLATION GUIDE FOR 1 PERSON SAUNA KY-1D6	16
INSTALLATION GUIDE FOR CORNER MODELS KY-033LV	21
ACCESSORIES (PROVIDED FOR SPECIFIED MODELS ONLY)	27
CONTROL PANEL OPERATION INSTRUCTIONS	29
USAGE GUIDE	31
A REMINDER WHEN HAVING YOUR SAUNA	32
SAUNA BENEFITS	34
SAUNAS AND CONTRAINDICATIONS	36
TROUBLESHOOTING	39
WARRANTY INFORMATION	41

Safety instructions

- Excessive sweating may cause stains on wood and damage to electrical appliances. Please use one or two towel placed on the bench and on the floor heater to absorb sweat when using the sauna.
- 2. The indoor sauna room is not waterproof, please do not spray water on the sauna room, and keep away from any water source.
- 3. Indoor saunas should be placed under an awning or sheltered area even when using a sauna cover.
- 4. Do not use liquid cleaners or aerosol cleansers on the interior or exterior of the sauna. Only use a damp cloth for cleaning.
- 5. Use of chemicals will damage the wood and any natural protection layer inherent in the wood.
- 6. To reduce the risk of injury, do not allow children to use the sauna unless they are closely supervised at all times.
- 7. Persons with health conditions or using medications should consult their physicians before using sauna.
- 8. Excessive temperatures have a high potential for causing fetal damage during the early months of pregnancy. Pregnant or possibly pregnant women should contact their physician prior to using the sauna.
- 9. Persons using medications should consult a physician before using the sauna since some medications may induce drowsiness while others may affect heart rate, blood pressure, and circulation.
- 10. Please exit immediately if you feel uncomfortable, dizzy or sleepy.
- 11. **WARNING**: The use of alcohol, drugs, or medications prior to or during the sauna session may lead to unconsciousness.
- 12. Remove all jewelry before you enter the sauna.
- 13. Never sleep inside the sauna while the unit is in full operation.
- 14. Do not attempt any repair without consulting the manufacturer first. Unauthorized repair attempts will void manufacturer's warranty.

Electrical Requirements

Please follow all instructions carefully. Each sauna will require a dedicated circuit when plugged in an outlet according to the image below. A dedicated circuit requires that no other appliance should share the outlet/circuit with the sauna. Failure to comply with this requirement may cause electrical interruption and diminished performance. It is recommended that a qualified electrician install an extra dedicated electrical socket for proper sauna functionality and to avoid any potential electrical hazards. Please make sure the sauna is properly grounded. Serious injury may result if proper electrical requirements are not met. Should you have any questions, please do not hesitate to contact the supplier.

Power Plug

For 1-2 person infrared sauna: Australia 10A power plug For 3-4 person infrared sauna: Australia 15A power plug









10A power plug

15A power plug

Installation Instructions


Please read the following directions carefully. The sauna installation may require a minimum of 2 people. You should not try to install the sauna on your own as damage will easily occur.

Caution

- 1- No plumbing or plumbing fixtures should be placed in the sauna.
- 2- Install the sauna on a completely level surface.
- 3- Keep all liquids away from the heating panels.
- 4- Keep the sauna away from any potential hazards including any water source or liquids. Select a dry suitable location for the sauna installation.
- 5- Indoor sauna room is best placed indoors such as bathroom, pool area, or it can be placed outdoors where only fully covered areas, such as on a deck, terraces or balconies to protect it from the rain, moisture and other elements in order to maintain the naturally untreated Canadian Hemlock finish.
- 6- Do not expose the heater elements to any water source or liquids as it may cause electrical shock.
- 7- Flammable objects and corrosive chemical substances should be kept far away from the sauna.
- 8- Do not plug any other appliances into the outlet sharing with the infrared sauna.

Your infrared sauna will come packaged **in one or more boxes**. Please make sure that you open the boxes face up. And be mindful of the fragile parts and glass enclosed during the opening process.

Structure and Components



ı	Doziel Cover
2	Speaker
3	Control box

4 Left board

5 Control panel

6 Front board

7 Handle 8 Door glass

9 Hinge

10 Ventilation

11 Temperature sensor 16 Bench

12 Top board 13 Back board

14 Heater frame 15 Right board

17 Bench front board

18 Bottom board

19 Foot rest board

^{*}The structure may vary from different models

General Guide for 1-3 Person Sauna

For Models: KY-192, KY-1A5, KY-1C6, KY-2C6, KY-1O6, KY-2O6, KY-023LB, KY-2A5, KY-2A5-F, KY-2A5-A, KY-31PA, KY-31PB, KY-033LW

This installation is a general instruction for most of the models, the structure may vary from different models. Please refer to the correct article for a specified model

1. Where to Start

Lay the boxes flat on the ground and open them carefully. The accessories, user manual and smaller parts are located under the dust cover - the box that includes the top and bottom panels (Figure G-4).




Figure G-4: Remove the Dust Cover to uncover the accessories

2. Floor Panel

Place the floor panel flat on the desired location. Make sure to leave a space around the side walls for one person to stand and install the side panels (Figure A-1). You can slide the sauna a bit once it's completely next to a wall.





Figure A-1: Floor Panel


3. Rear Panel

Place the rear panel on the back end of the floor panel (Figure A-2). At this point, another person should hold the rear panel until the next connection is made.

4. Left Panel

Install the left panel as the image below. Make sure the top of both panels is flat and leveled.





5. Connecting the Panels:

Kylin Sauna offers three types of panels locking systems to connect the sides of the different saunas. Please use the instructions below as a reference guide on how to connect the sauna panels. (Figure G-1)

A. Inner Locking System:

The inner locking system is designed to be completely invisible when the sauna is installed. The locks are built on the side of each panel and they connect by sliding one over the other (Figure G-2).





Figure G-1: Connect panels, inner lock system

To connect two panels, follow these few steps:

- 1. Lift the panel with the female locks a few inches up.
- Push it against the opposite panel; make sure to apply pressure around the top and bottom corners.
- Slide the panel down to lock it in place. Make sure all the locks are connected (top and bottom).
- Inspect the panels and make sure they are leveled (the panels top is flat and matching).





B. Latch System:

The Latch Locking System is two buckles that lock together by passing the main loop over the opposite side and locking the latch (Figure G-3). When the back and side panel are all together on the floor, panel you can now close and latch it




Figure G-3: Latch Locking System

C. Screwing System (In models KY-1C6, 2C6, 1O6, 2O6)

Align two panels with corresponding battens, and then fasten the panels by screwing them tightly.




Figure G-3b: Screwing System

6. Seating Bench

Slide the bench stand panel between the two vertical guides on the side panels. Connect the heaters' plugs under the bench to the appropriate sockets. The matching plugs and sockets are labeled alphabetically – e.g., connect "HT1" plug into the "HT1" socket. There may be a spare plug or socket for the models for adding an extra floor heater.

Install the seating bench by placing it on top of the bench stand and the horizontal guide on the rear panel. Make sure the smooth and finished side is facing up and forward (Figure A-3).



7. Right Panel

Install the right panel as the image below (Figure A-4). Make sure the top of all the panels is flat and leveled.

Tip:

 A person can stand inside the sauna to match the bench stand with the vertical guide on the right panel and level the corners for easier installation. If the lower lock is not connecting, make sure the bench stand is not blocking the panel by aligning it with the vertical guide.




Figure A-4: Right Panel

8 Front Panel

Install the door handle before installing the front panel. Connect the front panel to both side panels as in the image below (Figure A-5).

Tips:

- Make sure to align the corners of the two side panels and the edges of the front panel.
- The front panel is heavy because of the glass door. At least two people are needed to lift it
- For the inner locking system, a person can stand inside the sauna to align the edges and corners of the panels.
- For the latch locking system, latch the front panel with the left and right panels in the corners. Please take caution with the glass door.
- Please also make sure to put pressure on the top and bottom corners of each side to ensure the locks are connecting.




Figure A-5: Front Panel

9. Top Panel

- Raise the top panel over the sauna body. Put any wires from the front and back panels back into the center of the sauna cabinet to avoid pressing them when installing the internal top panel.
- While you are placing the internal top panel, make sure all wires and connecting plugs are slipped through the corresponding holes of the internal top panel. All these wires should be connected to the controller on the internal top panel. (Figure A-6).





Figure A-6: Top Panel

Connect all the wires and connectors to the corresponding outlets on the internal top panel.

Tips:

- The two speaker wires (2-pin white)
- The control panel (CTRL in grey)
- The buzzer (black)
- The heating panel wires: "HT1" plug into the "HT1" socket, "HT2" to "HT2" and so on.
- Make sure connections are tight and secure.







Notes:

The wires may vary depending on the different models. There may be one or two spare wires attached with the label "No Connection for this model" and you don't have to connect them

E.g., The ionizer in black or the radio in the white connector. (Figure A-7)



Figure A-7: No connection of wires

Place the dust cover over the sauna roof and pass the main power plug through the opening. Make sure to match the holes for the vent on the dust cover with the sauna vent holes. (Figure A-8)




Figure A-8: Top Panels and Dust Cover

Optional Accessories such as wooden towel rails and magazine racks may be provided depending on the model. You can attach them to the side panels in your preferred location in the sauna. *For information on how to place accessories, see the "Accessories" section (page 26).*


Installation should now be complete. Plug in the power and turn the sauna on at the control panel.

- Installation Completed -

Installation Guide for 1 Person Sauna KY-1D6

This content is the instruction for the 1-person model KY-1D6, the structure may vary from different models. Please refer to the correct article for a specified model

Structure and Components



1- Floor panel

2- Rear panel

3- Left side panel

4- Right side panel

5- Front panel9- Sitting baffle

6- Top panel 10- Backrest 7- Glass window

8- Sitting bench

1. Floor Panel

Place the floor panel flat on the desired location. Make sure to leave a space around the side walls for one person to stand and install the side panels. And make sure to confirm the front side and the back side. (Figure B-1)



Figure B-1: Floor Panel

2. Rear Panel


Align the rear panel with the floor panel's corresponding battens; make sure both panels are in line.



Figure B-2: Rear Panel

3 Side Panels


Align the left panel with the floor panel's corresponding battens. Make sure the left panel fits flush into the back panel. (Figure B-3). Using buckles in the corner to connect both panels. Do the same way for the right and the back panel.



(Figure B-3: Back Panel and Left Panel)

4. Seating Bench


Slide the sitting baffle down vertically into the slot within the back and right panel and fix the position. Then slide the sitting bench on it horizontally and fix it with screws. Then fixes the backrest onto the back panel with screws. (Figure B-4)



(Figure B-4: Sitting Baffle and Bench)

Notes:


 During the process of installing the sitting bench, make sure that all wires (Load A, Load B, Load C and Temp connector) and connecting plugs pass through the corresponding holes in the rear panel. (Figure B-5)



(Figure B-5: Connecting Wires)

5. Front Panel

Align the front panel with floor panel's corresponding battens, and then screw it with the left board respectively. (Figure: B-6)



6. Window and Top Panel

When installing the window and top panel, be careful of holding tight the glass. The top panel needs to be fixed from the top of the left and right panels with screws. (Figure: B-7)

7. Right Panel

Installing the right panel by using screws to fix with the front and the top panel. Then fix the back board by connecting the buckles, and install the door handle. (Figure: B-8)

Put the wires of the front panel and back panel into the cabinet to avoid pressing the wires during installation. Open the door, raise the top board high enough to test if it fits with the surrounding boards, then put it down after testing.



(Figure B-7: Top Panel)

(Figure B-8: Right Panel)


Making sure all steps are finished correctly, plug in the power and try using the sauna at first to make sure it will work properly.

- Installation Completed -

Installation Guide for Corner Models KY-033LV

Please review the 1-3 person model installation steps for general information.

Structure and Components



1. Floor Panel

Place the floor panel flat on a desired location. Make sure to leave a space around the side walls for one person to stand and install the side panels (Figure B-1). Once complete, you can slide the sauna next to a wall.

Tips:

• The triangle corner will point to the back of the sauna and the heater (on some models) point to the front of the sauna.




Figure B-1: Floor Panel

2. First Back Panel

Place the first back panel on the floor panel (Figure B-2). At this point, a person should hold the back panel until the next connection is made.

Tips:

• The first panel will have female locks on both sides.

3. Second Back Panel

Connect the second back panel to the first panel as per the image below (Figure B-3).

Refer to "Connecting the Panels" section (page 9) on how to lock the panels together.



Figure B-2: First Back Panel




Figure B-3: Second Back Panel

4. Front Sides

Install the two front side panels (Figure B-4).






Figure B-4: Installing the front panels

5. Seating Benches

Place the bench stand panels by lining up its side with the vertical guides on the back panels. Connect the heater plug underneath the bench and slide the bench panel over the horizontal guide on the back panels. Make sure the smooth and finished side is facing up and forward (Figure B-6).




Figure B-6: Bench Installation


6. Door Panel

Install the door handle first.

Connect the door panel to the front side panels. For the inner lock system, make sure to match the edges of the front panels to the corners of the door panel (Figure B-7).

Tips:

- The front panel is heavy because of the glass door. At least two people are needed to lift it
- For the inner lock system, a person should stand inside the sauna to align the corners and edges of the panels.
- Please also make sure to put pressure on the top and bottom corners of each side to ensure the locks are connecting.



Inner Lock Connection

Figure B-7: Front Panel

7. Top Panel

Raise the top panel over the sauna body then insert the wires for the control panel, temperature sensor and heaters through the openings in the ceiling.

Connect all the wires and connectors to the corresponding outlets on the internal top panel. Connect the heater plug into the control box. Even though the heaters' plugs might be labeled, they can connect into any sockets on the control box (Figure B-8).

Tips:

- The two speaker wires (2-pin white)
- The control panel (CTRL in grey)
- The buzzer (black)
- The heating panel wires: "HT1" plug into the "HT1" socket. "HT2" to "HT2"and so on.
- Make sure connections are tight and secure.







Place the dust cover over the sauna roof and pass the main power plug through the opening. Make sure to match the holes for the vent on the dust cover with the saunas vent holes.




Figure B-8: Top Panels and Connections

Optional Accessories such as wooden towel rails and magazine racks may be available depending on the model. You can attach them to the side panels in your preferred location in the sauna. *For information on how to place accessories, see the "Accessories" section (page 26).*

Installation should now be complete. Plug in the power and turn the sauna on at the control panel.

- Installation Completed -

Accessories (Provided for specified models only)

The below accessories are optional and some models with glass front or all-round heaters or corner saunas will not include these accessories. They can be screwed on one of the side panels (either right or left, based on the user preference).

Please do not install the holder and rack in front of the heaters.

Cup Holder (optional)

The cup holder is a small wooden shelf that can be mounted by screws on one of the side panels either the right or left side.



Magazine Rack (optional)

The magazine rack can be screwed on one of the side panels either the right or left side.



Towel Rack (optional)

The towel rack can be screwed on one of the side panels either the right or left side.





(Figure C: Accessories installed inside the sauna)

AUX/MP3 Cable (Provided for specified models only)

The MP3 Auxiliary Socket allows you to connect a MP3 player or radio (with auxiliary out function) to the speakers for your listening pleasure.





Color Therapy Lighting (optional)

Some models will include color therapy lights (or chromo lights) and there are 10-20 colors available. The color lights are operated by the remote control only. Turn on the "Light" button on the display control panel. Then you can press any color on the remote control change a color or adjust the brightness.






Benefits of color light therapy

Red	Activates the circulatory & nervous systems.		
Strong Pink	Acts as a cleanser, strenghtening the veins & arteries.		
Pink	Activates & eliminates impurities from the blood stream.		
Orange	Energises & eliminates localised fat. Helps address asthma & bronchitis.		
Strong Yellow	Strengthens the body & acts on internal		
Yellow	Reactivates & purifies the skin. Helps with indigestion & bodily stress.		
Green	Acts as a relaxant.		
Strong Green	ng Green Provides anti-infections, anti-septic & regenerative stimulation.		
Strong Blue	Lubricates the joints. Helps address infections, stress & nervous tension.		
Blue	Blue Stimulates muscle & skin cells, nerves & the circulatory system.		
Indigo	Indigo Helps address eye inflammation, cataracts, glaucoma & ocular fatigue.		
Violet	Relaxes the nerves & lymphatic system. Addresses inflammation & urinary illness.		

Control Panel Operation Instructions

There are **two types of control panel based on the specified model** to adjust the temperature, timer setting and etc. Please use the instructions below as a reference guide on how to set the sauna.

General Control Panel - Type 1



- 1 Display screen
 - For temperate and timer display.
- 2 Temperature button

Press the key to temperature adjustment state.

3 Light button

Press the key to turn on/off the light.

∠ Timer button

Press the key to time adjustment state.

5 Power button

Press this key to turn on or turn off the sauna.

∠ Adjust button

Press '^'and 'V' to adjust the temperature setting and the timer setting

7 Temperature type

Press to change the temperature display between °C/°F.

8 Start/Pause/Play button

After setting the temp or timer, press the button to start the sauna. When music is playing, press this is for pause or play.

9 Bluetooth

Control panel can be connected to devices to play music.

1. Temperature Display Screen

2. Temperature Button

Press the button to change to the temperature setting mode.

3. Light Button

Press the button to turn on/off the light.

*For models with colored lighting function, please use the remote control to change the colors of light.

4. Timer Button

Press the button to change to the timer setting mode.

5. Power Button

Press the button to turn the sauna on or off.

6. Adjust Button

Use the or buttons to increase or decrease the sauna temperature and the sauna timer.

Temperature Control

Adjustment range is 25°C-66°C. Set the temperature and time to a comfortable level, normally, it normally takes around 25-30 mins to heat up. The heaters will keep heating up to reach its desired temperature.

Timer Control

Adjustment range is 5-90 mins. When the timer display shows "5", the timer will beep as a reminder of 5 mins left. When working time reaches the setting time, the sauna will turn off and the

heater will stop heating. To extend the sauna session, reset the timer again.

7. Temperature Type (Fahrenheit or Celsius)

These signs indicate what measurement is used to display the temperature. To switch between Fahrenheit and Celsius, press the button.

8. Start/Pause/Play Button

After setting the preferred temperature or timer, press the button to start the sauna. When music is playing, press this button to pause or play the music.

9. Bluetooth

The Bluetooth function for playing music is built into the control panel. First, open your Bluetooth setting on your device. You will find "iSauna" or a similar name and you can pair it with your device. Once pairing is successful, the sauna will make a sound. You can control the volume and choose the music on your device and enjoy the music when having a sauna.

^{*}Only one device can be connected to the sauna at once.

Usage Guide

Unlike a traditional sauna, infrared heats the body directly. Air temperature in the sauna is not as important as the type and quality of the infrared being received. We have below suggestions:

- Please allow your sauna to warm up for at least 20-30 minutes until it reaches 46-51°C degrees depending on the starting ambient air temperature. If your sauna is outside, such as in your garage or a patio, you will expect longer heat-up times.
- 2. When you enter the sauna, set the time to the desired session time and turn the thermostat up to 150+°F / 65°C. This will keep the heaters are on the entire time to ensure that you are receiving constant infrared heat.
- 3. Always start using the sauna within 10°C degrees before it reaches the set temperature in order to receive the most benefits out of the infrared heaters. For example, if you set the sauna to 60°C degrees, you should start using the sauna when it reaches 50°C degrees.
- 4. Infrared heater warms your body directly, your body will always feel hotter than the temperature shown on the control panel. The temperature sensor only can reflect part of the actual room temperature but not your body temperature.

Tip:

- Please keep the vent closed on the ceiling to speed up the pre-heating process.
- If the sauna becomes stuffy, open the vent on the ceiling to allow fresh air into the sauna
- It is recommended not to exceed 40 minutes per session.
- Oil and lotions tend to decrease perspiration by blocking pores. Apply these after your session for best results.

 The appropriate temperature for a sauna depends on your needs or preference. Most of customers prefer an average use temperature of 125°F (52°C) degrees.

A Reminder when having your sauna

The temperature of the infrared sauna may take a long time to reach the maximum set temperature. This depends on the ambient temperature, humidity, airflow, the frequency of opening and closing doors, etc. However, slowly reaching the maximum set temperature does not affect normal use.

As your body is close to the heaters, your apparent temperature is always higher than the temperature shown on the display. This is because when the sensor attached to the ceiling which is far from the heaters may not reflect the actual set temperature inside the room. The infrared heating panels will continue to heat, and the body temperature will continue to rise. Please keep the vent close just in case there is cold air always coming in.

Precautions

- Prepare 2-3 towels for maximum comfort. Put one towel on the floor heater but not fully covered to make sure the sweats won't drop into the floor heater continuously.
- Drink liquids prior to and after your session.
- Do not left the wet towels inside your sauna that could harm the interior of your sauna.
- If the temperature becomes unbearable, decrease the temperature, open the vent or shut off the sauna immediately.
- Do not use if you are pregnant or have serious inflammation, a fever, a communicable disease, acute bleeding, or when intoxicated.
- Do not consume alcohol or drugs when using the sauna.

- Do not splash water on the heaters or any electrical component inside the sauna.
- All repairs need to be authorized by the supplier's representative;
 otherwise, product warranty may be voided.

CAUTION, RISK OF FIRE



Reduce the risk of overheating

- 1. Avoid contact with liquids on the heating panel;
- 2. Please do not place any combustible material cover the heating panel at any time to avoid overheating;
- Accumulated deformation of the heating panel will cause a portion of overheating. If you find that the heating panel is deformed, please stop using it immediately and contact the supplier for replacement;
- 4. Please do not heat the sauna without supervision;
- 5. Please do not modify the sauna room without permission:

Cleaning and Maintenance

Please use one or two towel placed on the bench and on the floor heater to absorb sweat when using the sauna. Excessive sweating may cause stains on wood and damage to electrical appliances.

Use a clean damp towel to wipe off the bench, floor and around the back panel. Do not use a towel that is too wet and can drip water inside the sauna and do not use cleaning agents inside the sauna.

Make sure to keep the sauna dry and clean. Do not leave towels or water glasses or bottles inside the sauna after use. Wipe the exterior surface of the sauna with a towel and clean the glass at least once a month.

Wood Care

In general, it is suggested to place a towel on the bench and a floor mat on the floor to protect the wood surfaces from dirt, sweat, and wear.

For indoor models, clean the interior and exterior of the sauna with a small amount of wood cleaner and water solution as needed and allow it to dry completely. Optionally, you can apply furniture polish on the exterior wood to help maintain its appearance and protect it from minor scratches or scuffs. Please avoid any treatment containing benzene or a high concentration of alcohol.

The body of outdoor models needs to be maintained on a regular bases (Once every 6 months to a year) by polishing or resealing the body as needed. If the varnish is cracked or worn off, sand the surface and re-varnish the affected area.

Your Kylin sauna is made of the Canadian Hemlock Wood. All wood products may have variations in the color, grain, and may have irregularities such as knots, and fine cracks. These reflect the natural beauty of the wood and should not be considered defects.

Sauna Benefits

Health Benefits

Detoxification and Body Cleansing

Detoxification is a bodily process that transforms health threatening toxic substances from our environment, diets, as well as our own bodies into something harmless or excreted. Sweat is the body's natural way to get rid of harmful toxins and cleansing our bodies through the skin. The infrared sauna waves penetrate deep below the skin to help the body to get rid of toxins buried deep under the skin.

Weight Loss

Saunas are the proven to help lose weight and burn calories. According to the Journal of the American Medical Association, a sauna session can burn between 300-700 calories. This finding was also backed by Dr Oz's explanation of infrared saunas during a segment of the Oprah Winfrey show.

Pain and Arthritis Relief

The Saunas infrared waves penetrate deep into the muscles for long lasting pain relief. Moreover, patients with rheumatoid arthritis will benefit in the alleviation of short-term pain, stiffness and reduced fatigue.

Skin Purification

During a sauna session, skin is cleansed and dead cells are replaced, keeping the skin in good working condition. Sauna heat also relaxes facial tensions, and improves skin elasticity. The process of sweating also rinses bacteria out of the epidermal layer and sweats ducts.

Cardiovascular Workout

Finnish researchers have reported that the regular use of saunas helps maintain the blood vessels in a healthier condition. Vessels become more extended, elastic and pliable due to regular dilation and contraction from the process of heating and cooling the body repeatedly.

Lower Blood Pressure and Improved Circulation

Blood vessel dilation brings blood closer to the surface of the skin and as blood vessels expand to accommodate increased blood flow, circulation in the extremities improves, and as a result the blood pressure becomes lower. The effect on the blood pressure is temporary, but medical research shows that frequent sauna bathing can make person's blood pressure level stay lower as well

DISCLAIMER:

The Sauna and its affiliate is to be not treated as medical advice, education or treatment. The information contained in this manual is for general information purposes only and does not address individual circumstances or medical conditions. Suitability will vary person to person and the information provided in this manual should not be relied solely upon in making decisions about your health. Always consult your doctor for medical advice.

Saunas and Contraindications

Saunas and Medications

Individuals who are using prescription drugs should seek the advice of their personal physician or a pharmacist for possible changes in the drugs effect when the body is exposed to far infrared waves or elevated body temperatures. Diuretics, barbiturates and beta-blockers may impair the body's natural heat loss mechanisms. Some over the counter drugs such as antihistamines may also cause the body to be more prone to heat stroke.

Saunas and Children

The core body temperature of children rises much faster than adults. This occurs due to a higher metabolic rate per body mass, limited circulatory adaptation to increased cardiac demands and the inability to regulate body temperature by sweating. Consult with your child's pediatrician before allowing your child to use the sauna.

Saunas and the Elderly

The ability to maintain core body temperature decreases with age. This is primarily due to circulatory conditions and decreased sweat gland function. The body must be able to activate its natural cooling processes in order to maintain core body temperature.

Saunas and Cardiovascular Conditions

Individuals with cardiovascular conditions or problems (hypertension / hypo tension), congestive heart failure, impaired coronary circulation or those who are taking medications, which might affect blood pressure, should exercise extreme caution when exposed to prolonged heat. Heat stress increases cardiac output, blood flow and in an effort to transfer internal body heat to the outside environment via the skin (perspiration) and respiratory system. This takes place primarily due to major changes in the heart rate, which has the potential to

increase by thirty (30) beats per minute for each degree increase in core body temperature.

Saunas and Alcohol

Contrary to popular belief, it is not advisable to attempt to "Sweat Out" a hangover. Alcohol intoxication decreases a person's judgment; therefore, a person may not realise it when the body has a negative reaction to high heat. Alcohol also increases the heart rate, which may be further increased by heat stress

Saunas and Chronic Conditions / Diseases Associated with a Reduced Ability to Sweat or Perspire

Parkinson's, Multiple Sclerosis, Central Nervous System Tumors and Diabetes with Neuropathy are conditions that are associated with impaired sweating.

Saunas and Hemophiliacs / Individuals Prone to Bleeding

The use of Infrared saunas should be avoided by anyone who is predisposed to bleeding.

Saunas and Fever

An individual that has a fever should not use any type of sauna.

Saunas and Insensitivity to Heat

An individual that has insensitivity to heat should not use any type of sauna.

Saunas and Pregnancy

Pregnant women should consult a physician before using any type of sauna because fetal damage can occur with a certain elevated body temperature.

Saunas and Menstruation

Heating of the low back area of women during the menstrual period may temporarily increase a woman's menstrual flow. Some women endure this process to gain the pain relief commonly associated with their cycle whereas others simply choose to avoid saunas use during this time of the month.

Saunas and Joint Injury

If you have a recent (acute) joint injury, it should not be heated for the first 48 hours after an injury or until the hot and swollen symptoms subside. If you have a joint or joints that are chronically hot and swollen, these joints may respond poorly to vigorous heating of any kind. Vigorous heating is strictly contraindicated in cases of enclosed infections be they dental, in joints or in any other tissues

Saunas and Implants

Metal pins, rods, artificial joints or any other surgical implants generally reflect far infrared waves and thus are not heated by this system; nevertheless, you should consult your surgeon prior to using an Infrared Sauna. Certainly, the usage of an Infrared Sauna must be discontinued if you experience pain near any such implants. Silicone does absorb far infrared energy. Implanted silicone or silicone prostheses for nose or ear replacement may be warmed by the far infrared waves. Since silicone melts at over 200°C (392°F), it should not be adversely affected by the usage of Infrared saunas. It is still advised that you check with your surgeon and possibly a representative from the implant manufacturer to be certain

In the rare event you experience pain and/or discomfort, immediately discontinue to use the sauna.

Troubleshooting

The sauna doesn't power on

- Make sure the power cord is securely connected to the power socket and the control box (on top of the sauna).
- Make sure the breaker did not turn off.
- Make sure the control panel white ribbon wire is securely connected.
- Make sure the power socket is working by trying a different device on the same socket

Light is not working

- Try reconnecting the light connector and make sure the connection is well.
- Try replacing the light bulb.

Colour therapy light does not work

- Make sure the battery is inserted correctly.
- Make sure to point the remote directly at the remote receiver (small rounded tip next to the colour lights).
- Try a new battery.

All heaters are not working

- Make sure the heater plugs are connected securely to the control box (on top of the sauna).
- Make sure the sauna is connected to the recommended power supply.
- Make sure the heat sensor is connected securely.

One or few heaters are not working

- Make sure the heater plugs are connected securely to the control box (on top of the sauna).
- Make sure the heater plugs under the bench are connected securely.
- Floor heaters and under bench heaters are not as hot as other heaters (by design).

• Make sure the plug behind the heater is connected (you would need to unscrew the heater).

Control panel display is unusual

- If the control panel temperature display is over 150 or 230 fahrenheit, make sure to connect the heat sensor securely.
- If the control panel time display is -- (two dashes), this means the sauna
 is on continues working mode. Press the timer button to return to timed
 working mode.

For more troubleshooting advice or to report a problem, please make contact with the supplier.

Warranty Information

The Sauna warrants its products to be free of defects in material and workmanship.

This warranty extends only to:

- 1. a retail purchaser of a sauna or parts directly from the supplier;
- 2. the authorised wholesale purchaser of a sauna or parts directly from the supplier: or
- 3. a retail purchaser of a sauna or parts from the supplier authorised wholesaler

However, in the event of a sale, transfer or conveyance of a sauna or parts from any of the three (3) proceeding persons or entities, any rights, duties and obligations associated with this warranty shall be null and void and of no further force and effect. The sauna or parts must be purchased and used within one year of the manufactured date

The sauna or parts must be placed in an indoor environment unless the sauna or parts are specifically designed for outdoor use. If an indoor sauna or parts are placed in an outdoor environment, warranty shall be null and void and of no further force and effect. The controls, heaters, electrical parts and wiring must be kept dry at all times and not exposed to any water or liquids.

Туре	Purpose	Parts	Labor
Indoor	Residential	5 Years	1 Year
ilidooi	Commercial	1 Year	6 Months
Outdoor	Residential	3 Year	1 Year
Outdoor	Commercial	1 Year	6 Months

Labour Warranty

Customers within free service area will enjoy free labour and parts service. An extra call out fee is required after the warranty period. Free on-stie service area is within 45 km from Blackburn VIC 3130 and Hurstville NSW 2220

The warranty begins on the original date of purchase, and is valid only on products purchased and used in the pointed market. To receive warranty service, the purchaser must contact the supplier to determine the problem and service procedures. Warranty service can only be performed by the supplier authorised service center. The original dated bill of sale must be presented upon request as proof of purchase to the supplier or the supplier authorised service center. In-home service will be provided during the warranty labour period subject to availability within the eligible area in Australia. In-home service is not available in all areas. To receive in-home service, the product must be unobstructed and accessible from floor level to service personnel. If during in-home service repair cannot be completed, it may be necessary to remove, repair and return the product. If in-home service is unavailable, the supplier may elect, at our option, to provide for transportation of our choice to and from the supplier authorised service center. Otherwise, transportation to and from the supplier authorised service center is the responsibility of the purchaser.

This warranty covers manufacturing defects in materials and workmanship encountered in normal use of this product, and shall not apply to the following, including, but not limited to: damage which occurs in shipment; delivery and installation; applications and uses for which this product was not intended; altered product or serial numbers; cosmetic damage or exterior finish; accidents, abuse, neglect, fire, water, lightning or other acts of nature; use of products, equipment, systems, utilities, services, parts, supplies, accessories, applications, installations, repairs, external plumbing and leaks, external wiring, circuit breakers, fuses or connectors not supplied and authorised by the supplier, or which damage this product or result in service problems; incorrect electrical line voltage, fluctuations, and surges; customer adjustments and failure to follow operating instructions, cleaning, maintenance and environmental instructions

that are covered and prescribed in the instruction book; consumable items including light bulbs.

The Sauna shall not be liable for the loss of use of the sauna or other incidental or consequential damages. Under no circumstances shall the supplier or any of its representatives be held liable for injury to any persons or damages to any properties. Specifications are subject to change without notice.

The sauna uses the highest quality wood in our product lines. All structures using wood are susceptible to minor dents, scratches and scuffing. This is normal and will not affect the integrity or operation of your sauna.

Wood is a living material that continues to respond to climate conditions, even after being manufactured into a sauna. Variations in the color or grain, and irregularities such fine cracks are part of the natural beauty of the wood and in no way should be considered defects. During normal operation, wood may crack slightly due to the changes in moisture level. This will not affect the structural integrity of the sauna.

Prior to shipping, the wood is inspected for consistency, colour and quality. Our saunas are shipped around the globe, and can experience slight blemishes, scratches or scuffs in transit. In most cases, these blemishes on the exterior of the sauna can be concealed by using a small amount of furniture polish, oil or other furniture treatment. The interior blemishes, scratches, or scuffs can be either left alone, sanded or a combination of gluing plus sanding. Please avoid any treatment containing benzene or a high concentration of alcohol.

Delivery

Please accept your sauna may be shipped by separate parcels or pallets because of the specified allocation from carrier.

If the Buyer, or a representative of the Buyer, is not present to accept delivery at the time and place indicated by the carrier, the sauna will be left in a safe place, or the Buyer may be liable for costs of storage and re-delivery of the sauna and such costs will be payable prior to the re-delivery of the sauna.

ATTENTION: The Supplier must be notified of any damage to your sauna within two (2) business days of signing the proof of delivery. Failure to notify the supplier within the established time frame will result in the owner taking full responsibility for cost of All Replacement Parts including shipping and handling fees

Cancellation

If an order is cancelled by the Buyer prior to dispatch of the Products, all monies paid by the Buyer for that order will be refunded, a cancellation fee may be payable by the buyer.

If a cancellation is made after the sauna has been shipped, then the buyer will be responsible for both way shipping charges.

Return & Refund

If the Sauna purchased are and you're not completely satisfied, please contact us at 03 9988 3693 or email us at info@kylinaustralia.com.au. Our experts will assist you and provide with the best solution for you.

Any return or refund request should be within 30 days of the shipping date to get an approval authorization. For change of mind return, the returned sauna must be unused, undamaged, in a good condition with packing materials, along with the shipping pallet. The only exception for return and refund is for units determined by Kylin Sauna to have a defect in materials and/or workmanship beyond repair.

Seller may refuse to refund all or any portion of payment if buyer fails to fully comply with or violates the terms and conditions of this policy. All returns may be subject to a restocking fee of 20% of valued price.

Keep in mind that the condition of the item sent back to the Kylin is important, please help to repack it carefully. If you return the item used, damaged, missing

parts, or damaged during return shipping because it wasn't packaged correctly, Kylin may deduct from the refund to cover the loss in the item's value.

Once the item is delivered to the seller, your refund should be processed within 2 business days. Your refund will be sent to your original payment method and funds are usually available within 3-5 business days.

Legal Rights

In Australia our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure. So, as well as your statutory rights referred to above and any other rights and remedies you may have under any other laws relating to your Kylin product, we also provide you with Kylin warranty. It's important to note that this warranty is valid only in the country of purchase.

And if for any reason you wish to contact us, please do so at:

Kylin Customer Service Australia +61 (0) 3 9988 3693





📞 Tel : 03 9988 3693 🏿 🗷 info@kylinaustralia.com.au

🏦 Showroom : Unit 12 / 11 Mary St, Blackburn VIC 3130

www.kylinaustralia.com.au